6th December 2016. Press Release on the paper "A global map of roadless areas and their conservation status" (DOI 10.1126/science.aaf7166)

Earth in 600 thousand pieces

A new global map of roadless areas shows that the Earth's surface is shattered by roads into more than 600,000 fragments. More than half of them are smaller than 1 km². Roads have made it possible for humans to access almost every region but this comes at a very high cost to the Planet's natural world. Roads severely reduce the ability of ecosystems to function effectively and to provide us with vital services for our survival. Despite substantial efforts to conserve the World's natural heritage, large tracts of valuable roadless areas remain unprotected. The study shows that the United Nations' sustainability agenda fails to recognize the relevance of roadless areas in meetings its goals.

Recent research carried out by an international team of conservation scientists and published in Science used a dataset of 36 million kilometres of roads across the landscapes of the earth. They are dividing them into more than 600,000 pieces that are not directly affected by roads. Of these remaining roadless areas only 7% are larger than 100 km². The largest tracts are to be found in the tundra and the boreal forests of North America and Eurasia, as well as some tropical areas of Africa, South America and Southeast Asia. Only 9% of these areas undisturbed by roads are protected.

Roads introduce many problems to nature. For instance, they interrupt gene flow in animal populations, facilitate the spread of pests and diseases, and increase soil erosion and the contamination of rivers and wetlands. Then there is the free movement of people made possible by road development in previously remote areas, which has opened these areas up to severe problems such as illegal logging, poaching and deforestation. Most importantly, roads trigger the construction of further roads and the subsequent conversion of natural landscapes, a phenomenon the study labels "contagious development".

"We urge governments to prioritize remaining extensive roadless areas and to avoid altogether the building of roads in remote areas, which would be ecologically disastrous. Our global map provides guidance on the location of the most valuable roadless areas. In many cases they represent remaining tracks of extensive functional ecosystems, and are of key significance to many ecological processes, such as regulating the hydrological cycle and the climate," says Pierre Ibisch, lead author of the study based at the Centre for Econics and Ecosystem Management at Eberswalde University for Sustainable Development in Germany.

The researchers used a large data base generated through crowd-sourcing, the OpenStreetMap platform. "This was the best available source of information to produce a global map for roadless areas although it was clear to us the data was incomplete. Our figures still overestimate roadless areas, and we know many of the areas have already gone or been reduced in size", explains Monika Hoffmann, co-author from Eberswalde University for Sustainable Development who carried out the spatial analyses.

"All roads affect the environment in some shape or form including timber extraction tracks and minor dirt roads, and the impacts can be felt far beyond the road edge. The area most severely affected is within a 1-km band either side of a road", says Nuria Selva, co-author of the study with the Institute of Nature Conservation of the Polish Academy of Sciences in Krakow, Poland.

The study shows that the United Nations' agenda for sustainable development, brought into force in 2015 and now referred to as the Sustainable Development Goals, presents conflicts of interest between the aims to generate economic growth and to safeguard biodiversity. On the one hand, some goals do actually threaten the remaining roadless areas. On the other hand, limiting road expansion into roadless areas could be the most cost-effective way to achieve those Sustainable Development Goals that relate to preserving the natural heritage. The UN Convention on Biological Diversity just held its Conference of the Parties in Cancún, Mexico. Its strategic plan is represented by the so-called Aichi Biodiversity Targets. The Science study shows how this conservation plan ignores the need of safeguarding roadless areas.

"As roads continue to expand, there is an urgent need for a global strategy for the effective conservation, restoration and monitoring of roadless areas and the ecosystems they comprise", Pierre Ibisch concludes.

The study is a joint effort of an international team of ten conservation scientists from six countries, all members of the Roadless Initiative of the Society for Conservation Biology (www.conbio.org). Maps and information on the Roadless Initiative at <u>www.roadless.online</u>¹.

¹ After December 15, 2016.

###

Copies of the paper: AAAS Office of Public Programs, +1-202-326-6440 or

scipak@aaas.org

Contact to authors:

Pierre L. Ibisch (Germany) - <u>Pierre.Ibisch@hnee.de</u> (+49-3334-65 7178) - English, German and Spanish Nuria Selva (Poland) - <u>nuriselva@gmail.com</u> (+48-600135676)- English, Spanish and Polish Stefan Kreft (Germany) – <u>stefan.kreft@hnee.de</u> (+49-3334-65 7296) - English, German and Spanish

Further co-authors:

Monika Hoffmann (Germany) Vassiliki Kati (Greece)-Dominick DellaSalla (USA) Mariana M. Vale (Brazil) Peter R. Hobson (UK) Lisa Biber-Freudenberger (Germany) Guy Pe'er (Germany)